## Setting to be changed when sshd is listening on a custom port instead of default port in the ssh jumphost server

196 admin October 8, 2024 Tweaks & Configuration 6092

## How to set a custom SSH port in the Ezeelogin gateway?

**Overview:** This article provides an overview of setting up a custom port number for sshd when it is configured to listen on a port other than the default SSH port 22.

Navigate to **Settings-> General-> Miscellaneous-> Gateway SSH Port** and specify the SSH port number. This would be the port that SSH daemon would be listening on the ezeelogin gateway server and ezeelogin users would be connecting to this port.

| Ezeelogin                          |          |                               | Welcome, Administrator Logout  |
|------------------------------------|----------|-------------------------------|--|
| t≣ Servers ►                       | 141      | General Settings              | Authentication Two Factor Authentication Security Defaults Miscellaneous |
| 🔚 Web Portals 🕨 🕨                  | ×        | Gateway SSH Port 🐨 <          | SSH Timeout 🖗  |
| ±t Users ►                         |          | 2014                          | 10   |
| Access Control ►                   |          | RDP Proxy Port 🥪              | Web SSH Port 🥹   |
| °₀ Settings 🔷                      |          | 22555                         | 22222  |
|                                    | G        | Web Proxy Port 💿              | Web Proxy Session Timeout 🖗  |
| General     Branding               |          | 52666                         | 300  |
| <ul> <li>Control Panels</li> </ul> |          | Web Proxy Request Timeout 🥹   | Web Proxy Web Sockets 🥹  |
| ► Data Centers                     | 1        | 120                           |  |
| API                                |          | Web Proxy Forwarded Header 🐵  | Log Retain Duration (months) 🥹   |
| ► LDAP<br>► SAML                   |          |                               | 0  |
| ► FIDO2                            |          | Log Space Threshold (MB) 🐵    | mExec Concurrency 💿  |
| ► RADIUS                           |          | 0                             | 100  |
| ► SIEM                             |          | NodeJS Command 💿              | Hide Inbuilt Backgounds 🥑  |
| <ul> <li>Server Fields</li> </ul>  |          | node                          | ×  |
| 😚 Cluster                          | N. N.    | Login theme 🥹                 | Use DNS 😡  |
| 💿 Command Guard 🕞 🕨                | 11       | Dark \$                       | ×  |
| 🖌 Account                          |          | Internal commands 💿           | License Timeout 🔍  |
|                                    |          |                               | 30   |
| 💮 Help 🕨 🕨                         | 12.0     | CP Use DNS 🥹                  | Proxy Port 💿   |
| , License                          |          |                               |  |
| <b>∢</b> Collapse                  | . 4. 5   | Proxy Host 🥥                  | Proxy Password 😰   |
|                                    | 1.0      |                               |  |
| Powered by<br>ezeelogin.com        |          | Proxy Username 🥥              | Pass User Through 🥹  |
|                                    |          |                               | ×  |
|                                    |          | Delete Sub SSH Remote User 🥪  | Mexec Lists in Group Menu 🥯  |
|                                    | 1 inte   | x                             | ×  |
|                                    |          | Notification From Name 💿      | Notification From Email 💿  |
|                                    | Sand St. | Ezeelogin Notification        | noreply@ezeelogin.com  |
| •                                  |          | Credential History Duration 😨 | Message Of The Day 🥯   |
|                                    |          | 0                             |  |
|                                    |          | Login Page Notice 🎯           |  |
|                                    |          |                               |  |
|                                    |          |                               | Cancel Save  |
|                                    |          | *                             |  |
| * * *                              | 14.1     | Remote Startup Script 🥥       |  |
|                                    | -        |                               |  |
|                                    |          |                               |  |
|                                    |          |                               |  |

## **Related Articles:**

Setting in web panel when SSH Daemon is listening on non-standard ports.

run sshd on different ports

Add servers behind a Tunnel Host in SSH Gateway or Add servers that are accessible via port forwarding via the SSH gateway server.

Online URL:

https://www.ezeelogin.com/kb/article/setting-to-be-changed-when-sshd-is-listening-on-a-custom-port-instead-of-default-port-in-the-ssh-jumphost-server-196.html