SSH Connection to a Remote Server Using the Same Username as SSH Gateway User


232 Manu Chacko October 11, 2024 <u>Identity & Access Management (IAM)</u>, <u>Productivity &</u> <u>Efficiency Features</u> 10648

How to establish an SSH connection to a remote server while maintaining the same username used for logging into the Ezeelogin SSH gateway?

Overview: This article explains how to ensure that an SSH gateway user logs into a remote server using the same username they used to access the Ezeelogin gateway. This is accomplished by ensuring the same username exists on both the gateway and remote servers.

This can be achieved using the pass user through feature.

Example: SSH gateway user 'Ted' would be logged in as system user 'Ted' on the remote server as well.



A user by the same name as the SSH gateway user should exist on the remote servers for the 'Pass user through' feature to work. If you want the remote SSH users to be managed automatically, then use the <u>sub SSH user</u> feature.

Step 1: Navigate to Users -> Add/Edit and change Pass User Through to Yes

Web Prozy Log Status Status Status Web Prozy Log Status Status Status Web Prozy Log Status Status <t< th=""><th>Ezeelogin</th><th></th><th>Welcome, Administrator Lo</th></t<>	Ezeelogin		Welcome, Administrator Lo
I Web Portais I Varr I Varr I Varr I Varr Group I RDP Portain	ervers 🕨	Add User	
L Uars Lber droups Athrenitation Log SK Log SK Provy Log Web Row Log Statis 	Veb Portals	*	
 Authentication Log SSPL Log SSPL Log Web Proxy Log Strat Activity Strat Strat User Pass Str	Jsers 🔻		
 SSH Log RDP Recording School School Sc	lser Groups	Username 🥹	Email
 RDP Recording SCPL og Web Proxy Log Web Acdway Sheil Activity S	uthentication Log	Ted	ted@uc.com
 BCP Recarding SCP Log Web Proxy Addivity Web Activity Sarver Activity Sarver Activity Status Sarver Activity Status Command Guard Softings Status Status	SH Log	Password	Security Code 🚳
 Soft log Web Proxy Log Web Proxy Log Web Achay Sheli Achay S	DP Recording		
• Web Proxy Log User Group Status • Web Proxy Activity Dummy • • Shell Activity Expire • Command Guard • • Status Immy •<	CP Log		
 Web Prox Activity Web Activity Shell Activity Shell Activity Shell Activity Server Activity Work Summary Status A ceese Control Settings Cluster Shell Activity Shell Activity Shell Activity Shell Activity Shell Activity Shell Activity Settings Cluster Shell Activity Shell			
 Web Activity Server Activity Server Activity Server Activity Work Sumary Status A coess Control Server Cluster Sh Private Key * Sh Private Key * Sh Private Key * Sh SH User * Select - Ad user to database only * Select - Ad user to database only * Conter Select - Conter Selec			Active Suspended
Server Adviny Nore Nore Nore Access Control Access Control Settings Cluster Sthrowd IPs Sthrowd			
 Work Summary Status A ccess Control Settings Cluster Command Cuard A ccount SSH Private Key * SSH Private Key * SSH SSH User * Scluster Add user to database only * Select - • Add user to database only * Strement Control Add user to database only * Strement Control Cancel Save 			
Status A Access Control ◇ Settings ◇ Cluster ◇ Command Guard ◇ Account ◇ Help > License ✓ Collapse Sub SSH User ● - Select - · Select -		Never \$	None 🗘
Access Control Access Control Settings Alowed IPs ● Shir Private Key ●<td></td><td>Limit IPs 🥹</td><td>Allow Disallow</td>		Limit IPs 🥹	Allow Disallow
Access Control Settings Cluster Cluster SH Private Key @ SH Private Key @ SH Private Key @ SSH Key Passphrase @ License Collapse Add user to database only @ Stent of database only @ Control Control Control Control Sub SSH User @ Add user to database only @ Control Control Control Control Sub SSH User @ Control Control Sub SSH User @ Sub SSH User @ Add user to database only @ Control	latus		Matual Chall @
Stitings <p< td=""><td>Iccess Control 🛛 🕨</td><td>Allowed IPs 🕑</td><td></td></p<>	Iccess Control 🛛 🕨	Allowed IPs 🕑	
Cluster SSH Private Key @ SSH Private Key @ SSH Key Passphrase @ IDAP @ None Sth du user to database only @ Cancel Save	settings 🛛 🕨	×	
Command Guard Account Help License Collepse Add user to database only @ Add user to database only @ Cancel Save	luster		-
I License Collepse Collepse Add user to database only @ Cancel Save	Command Guard		SSH Key Passphrase 💿
Help License Collepse Collepse Add user to database only @ Cancel Save	Account ►		
License Collapse Collapse Add user to database only @ Add user to database only @ Cancel Save	dolp.		LDAP 😨
	eih		None 🗘
Collapse Add user to database only © Cancel Save	license		Authorization Password 🧼
Cancel Save	∢ Collapse		
Construction we are a constructed as a construction of the constru			Cancel Save
Eoron Baseword Change 🦉	Fowered by zeelogin.com		
Porce rassifuld Gilalige 🛥		Force Password Change @	

2. How to view if the gateway user is mapped as the pass user through?

Step 2(A): Login to Ezeelogin backend(ezsh) and press the 'Tab' key on the selected server to view the mapped details.

<u>Server details</u>	
Name	<pre>: ubuntu.server</pre>
IP	: 192.168.1.37
SSH port	: 22
Pass SSH User	: Ted
Actual SSH User	: root
Actual Password	: w8M2Iu&@k*uZsfb
Group	: production server

Step 2(B): Login to Ezeelogin GUI and press the '+' icon on the left side of the server name to expand and view the mapped details.

Servers V	Servers find	All 🗸 da	omain lookup 🧕 🖻			Rows Auto -	
erver Groups	□ Name ↓	IP Address	Server Group	SSH Port	Description	Actions	
per Groups	+ centos.server	192.168.1.36	production server	22		/ 🖪 🕄 🕄	
b SSH Users	+ debian.server	192.168.1.40	production server	22		/ 3	
b SSH User Maps	- ubuntu.server	192.168.1.37	production server	22		/	
Exec lists							
port	Password		@k*uZsfb				
obal Key	Password Management	keep serv	keep server password				
y Management	SSH	enabled	enabled				
eb Portals 🔹 🕨	Remote SSH login user / RDP	login user Ted (pass	Ted (pass through)				
ers 🕨	RDP	Ν	N				
ccess Control	RDP Port		3389				
ttings A	Password Prompt		ssword:				
	Privilege Escalation	disabled					
uster	Host Node		No				
ommand Guard	Use DNS						
count 🕨	CP Use DNS	Inherit					
	Ignore Sub SSH User	N					
ielp 🕨 🕨	Ignore Sub SSH User	Ν					
	IPMI Port	80					

- You can add an SSH private key and passphrase or it will ssh to the remote server with the same password as the Ezeelogin gateway user.
- Also, you can copy the <u>SSH Global Public Key</u> and paste it under /home/{username}/.ssh/authorized_keys file so that you do not have to enter the user's password or add an extra key.

Refer user manual https://www.ezeelogin.com/user manual/AddEditUser.html

Related Articles:

Different types of users in Ezeelogin.

How to add sub ssh users on remote servers and restrict commands via sudoers file

User prvilege escalation for particular time

Online URL:

https://www.ezeelogin.com/kb/article/ssh-connection-to-a-remote-server-using-the-same-username-asssh-gateway-user-232.html