


Error: User add failed. Cannot add user on this node: FAILED: to establish SSH session

235 Manu Chacko October 11, 2024 [Common Errors & Troubleshooting](#) 6078

How to solve Error: User add failed. Cannot add user on this node: FAILED: to establish SSH session

Overview: This article provides steps to resolve the error "**Error: User add failed. Cannot add user on this node: FAILED: to establish SSH session**" in the Ezeelogin GUI when adding a gateway user.



Step 1: Ensure that iptables or the firewall is **not blocking** SSH traffic. Add the following rule on the gateway server to allow traffic from localhost:

```
root@gateway:~# iptables -A INPUT -p tcp -s localhost -j ACCEPT
root@gateway:~# csf -a 127.0.0.1
```

Step 2: Verify SSH access to localhost by running the following commands. If a custom SSH

port is being used, specify it with the **-p** option.

```
ssh root@localhost OR ssh root@127.0.0.1 OR ssh root@localhost -p [port]
```

Step 3: Make sure SSHD is not blocked in **/etc/hosts.allow** or **/etc/hosts.deny**. Add the following line to **/etc/hosts.allow** to allow SSH access from localhost:

```
root@gateway:~# vim /etc/hosts.allow
```

```
sshd : localhost : allow
```


Step 4: Verify the SSH port used on the gateway server with the following command.

```
root@gateway:~# cat /etc/ssh/sshd_config | grep Port
```

```
Port 22
```

```
#Gateway Ports no
```

Step 5: If a [custom SSHD port](#) is being used on the gateway server, ensure it is updated in **Settings -> Miscellaneous -> Gateway SSH Port** to match the current SSHD listening port on the SSH gateway server.



Related Articles:

[no matching host key type found. Their offer: ssh-rsa,ssh-dss \[preauth\]](#)

[User add failed](#)

[User add failed Cannot add user on other node: REMOTE HOST IDENTIFICATION HAS CHANGED!](#)

Online URL:

<https://www.ezeelogin.com/kb/article/error-user-add-failed-cannot-add-user-on-this-node-failed-to-establish-ssh-session-235.html>