

Ezeelogin GUI loading slow

237 admin June 4, 2024 [Common Errors & Troubleshooting](#) 2877


How to fix the slowness in loading Ezeelogin GUI?

The slowness of GUI loading may be due to one node being unable to communicate with the other. The slowness can be fixed by disconnecting the slave node.

It is recommended not to remove the slave node. The slave needs to be re-installed if it's removed from the master. There might be chances for losing logs if the slave got removed from the master.

How to disconnect the cluster from Ezeelogin GUI?

Login to Ezeelogin GUI and click on the **cluster tab**. Refer below screenshot to **disconnect** the slave from Ezeelogin GUI.



How to disconnect the cluster from the backend?

If a user cannot disconnect the slave from the Ezeelogin master GUI, run the below command on the **current master node** to disconnect from the backend.

```
root@current_master_node :~# php /usr/local/ezlogin/ez_queryrunner.php "update prefix_settings set value='N' where name='connected' "
```

How to disconnect and switch the node state of the cluster from the backend?


If a user cannot switch node state from Ezeelogin GUI, run the below commands on the gateway server.

```
root@gateway :~# php /usr/local/ezlogin/ez_queryrunner.php "update prefix_settings set value='master' where name='nodestate'"
```

```
root@gateway :~# php /usr/local/ezlogin/ez_queryrunner.php "update prefix_settings set value='N' where name='connected'"
```

How to reconnect the node from Ezeelogin GUI?

Login to Ezeelogin GUI and click on the **cluster tab**. Refer below screenshot to **connect** the slave from Ezeelogin GUI.



FAQ:

1. Can we disable the slave server since we are currently using only the master node?

Certainly, the choice to disable the slave server is yours, but keep a note that data synchronization between the master and slave servers will not occur if the slave is disabled. It is recommended to keep both servers running and synchronized for real-time data updates, as changes made to the master server will automatically sync with the slave server.

Related Articles

- [Switching node states in Ezeelogin Cluster](#)
- [Install Master/Slave Ezeelogin](#)
- [Install Master/Slave Ezeelogin with MySQL SSL](#)
- [How to reset cluster keys in Ezeelogin Master-slave Configuration? Error: This node in cluster has local changes. Please verify database and synchronize: DB sync incomplete](#)

Online URL: <https://www.ezeelogin.com/kb/article/ezeelogin-gui-loading-slow-237.html>

