


# Add custom fields on server add form

261 Manu Chacko October 23, 2024 [Productivity & Efficiency Features](#), [Technical](#) 6829

## How to add custom fields on the server add form in Ezeelogin?


**Overview:** This article helps Ezeelogin gateway users on how to add custom server fields to the server add form.

**Step 1.** Login to Ezeelogin GUI, click on the **settings** -> **server field** -> **add custom server field**




**Step 2.** Provide the details for the custom server field


- **Name:** A name for the custom server field
- **Alias:** The column title name shown in server listing.
- **Description:** Brief description on the custom server field
- **Type:** Type of the custom server field added.
- **Encrypted:** Shows if the information stored in the field would be encrypted or not.
- **Include In Listing:** If enabled, the field will be displayed in the server listing.
- **Sort order:** The order number determines the position of the field in the server edit page. Lower values would be
- **Actions:** To add or delete custom fields.




**Step 3.** The custom field can be viewed while adding a server by navigating to **Servers** -> **Add Server** -> **Advanced** section.



**Step 4.** When 'Include In Listing' is enabled, the custom server field appears in the server listing and is displayed under the name specified in the 'Alias' column.



**Step 5.** To view custom server fields in Ezeelogin shell(ezsh) for gateway users, make sure to enable **Show Custom Fields** for the each individual gateway users in Ezeelogin GUI by clicking on the **Account -> Preferences -> Show custom fields in Ezeelogin Shell**




### Server details

```
Name           : Cpanel/WHM server
SSH port       : 22
SSH User       : root
Group          : Linux Servers
ServerInformation : Server used for Cpanel backups.
```

Press any key to continue...|

**Step 6.** Use the access control to grant the **custom server field access** and **view server details access** to non admin users. **Access control -> User-Action -> Servers (View Server Details)** and **Access control -> User-Action -> Settings**



## How to enable custom server field for all users in ezeelogin?

### Emergency CLI Method:

- Run the following command to enable custom server fields for all users.

```
root@gateway:~#_php /usr/local/ezlogin/ez_queryrunner.php "REPLACE INTO prefix_preferences (user_id, name, value) SELECT id, 'show_custom_fields_ezsh' AS name, 'Y' AS value FROM prefix_users"
```

## Related Articles:

[Enable Custom Server fields for Ezeelogin Users from database](#)

[Migrate the custom server fields from Ezeelogin version 7.0 to the latest version](#)

Online URL: <https://www.ezeelogin.com/kb/article/add-custom-fields-on-server-add-form-261.html>