
Deleting entries in the mysql database table gwactivity_logs

348 admin March 1, 2021 Common Errors & Troubleshooting 2025


<u>Deleting entries in the Ezeelogin database table gwactivity logs for house keeping.</u>

Its would be required to reduce the size of the Ezeelogin mysql database table gwactivity_logs as it would cause the Ezeelogin software upgrade to slow down significantly (2-4 hours) because of the huge size of the database table. The table can be truncated based on the ssh gateway users 'login time' so that the upgrade operations completes quickly.

This data from the gwactivity_log would be displayed in the GUI under Users->Shell Activity->Gateway Activity Logs as shown.



Before truncating the gatewayactivity_logs you can export the logs from GUI for audit purposes under Users>Shell Activity>Export




The following command would delete all entries with Login Time before 01 January 2020 from the gwactivity_logs table in the Ezeelogin mysql database.


Generate a mysql dump of the Ezeelogin database or a table dump before you perform the operation in

gwactivity_logs using the Ezeelogin query runner script. The gwactivity_logs mysql table structure would looks as follows.

case you need to revert due to any unforeseen reasons.

[root@~gate]#





_		T TTO T	
()n	lına.	URI	
OH.		UINL	4.

https://www.ezeelogin.com/kb/article/deleting-entries-in-the-mysql-database-table-gwactivity_logs-348.html