


How to enable mail notifications in Ezeelogin Jump Host

371 Nesvin KN July 27, 2024 [Features & Functionalities](#) 2962

Enabling and configuring email notifications in ezeelogin

Overview: This article covers configuring email notifications in Ezeelogin. It includes adding a valid email address for the super admin, updating the notification sender's address and name, and ensuring a mail server is installed. It also provides steps to enable failed login, change, and shell access notifications in the Ezeelogin Jump Host settings.

Edit the super admin user and add a valid email address to receive the notifications. Refer below screenshot.



To change from address and name navigate to **Settings -> General -> Miscellaneous -> Notification From Name / Notification From Email**

- Servers
- Web Portals
- Users
- Access Control
- Settings**
- General
- Branding
- Control Panels
- Data Centers
- API
- LDAP
- SAML
- RADIUS
- Server Fields
- Cluster
- Command Guard
- Account
- Help
- License

General Settings Authentication Two Factor Authentication Security Defaults **Miscellaneous**

<p>Gateway SSH Port ?</p> <input type="text" value="22"/>	<p>SSH Timeout ?</p> <input type="text" value="10"/>
<p>RDP Proxy Port ?</p> <input type="text" value="22555"/>	<p>Web SSH Port ?</p> <input type="text" value="22222"/>
<p>Web Proxy Port ?</p> <input type="text" value="52666"/>	<p>Web Proxy Session Timeout ?</p> <input type="text" value="300"/>
<p>Web Proxy Request Timeout ?</p> <input type="text" value="120"/>	<p>Web Proxy Web Sockets ?</p> <input checked="" type="checkbox"/>
<p>Web Proxy Forwarded Header ?</p> <input checked="" type="checkbox"/>	<p>Log Retain Duration (months) ?</p> <input type="text" value="0"/>
<p>Log Space Threshold (MB) ?</p> <input type="text" value="0"/>	<p>mExec Concurrency ?</p> <input type="text" value="100"/>
<p>NodeJS Command ?</p> <input type="text" value="node"/>	<p>Hide Inbuilt Backgrounds ?</p> <input type="checkbox"/>
<p>Login theme ?</p> <input type="text" value="Dark"/>	<p>Use DNS ?</p> <input type="checkbox"/>
<p>Internal commands ?</p> <input checked="" type="checkbox"/>	<p>License Timeout ?</p> <input type="text" value="30"/>
<p>CP Use DNS ?</p> <input checked="" type="checkbox"/>	<p>Proxy Port ?</p> <input type="text"/>
<p>Proxy Host ?</p> <input type="text"/>	<p>Proxy Password ?</p> <input type="password"/>
<p>Proxy Username ?</p> <input type="text"/>	<p>Pass User Through ?</p> <input type="checkbox"/>
<p>Message Of The Day ?</p> <input type="text"/>	<p>Delete Sub SSH Remote User ?</p> <input type="checkbox"/>
<p>Login Page Notice ?</p> <input type="text"/>	<p>Mexec Lists in Group Menu ?</p> <input type="checkbox"/>
<p>Notification From Name ?</p> <input type="text" value="Ezeelogin Notification"/>	<p>Notification From Email ?</p> <input type="text" value="noreply@ezeelogin.com"/>
	<input type="button" value="Cancel"/> <input type="button" value="Save"/>

Make sure you have installed a mail server on your server. Refer below article to install Sendmail on the gateway server.

[Configure SMTP on Ezeelogin Jump server](#)

Step 1. How to enable failed login mail notification in Ezeelogin Jump Host?

Failed login notification -- Send mail notification to super admin user for failed login in Ezeelogin GUI.

You can enable notification in **Settings -> General -> Security -> Failed Login Notification**

- Servers
- Web Portals
- Users
- Access Control
- Settings**
 - General
 - Branding
 - Control Panels
 - Data Centers
 - API
 - LDAP
 - SAML
 - RADIUS
 - Server Fields
- Cluster
- Command Guard
- Account
- Help
- License

General Settings Authentication Two Factor Authentication **Security** Defaults Miscellaneous

<p>Password Minimum Length ⓘ</p> <input type="text" value="20"/>	<p>Password Maximum Length ⓘ</p> <input type="text" value="32"/>
<p>Password Minimum Block Letters ⓘ</p> <input type="text" value="1"/>	<p>Password Minimum Small Letters ⓘ</p> <input type="text" value="1"/>
<p>Password Minimum Special Characters ⓘ</p> <input type="text" value="1"/>	<p>Password Minimum Digits ⓘ</p> <input type="text" value="1"/>
<p>Auto Create User ⓘ</p> <input type="checkbox"/>	<p>Command Guard ⓘ</p> <input type="text" value="Disable"/>
<p>Automated Password Change ⓘ</p> <input type="checkbox"/>	<p>Shell Access Notification ⓘ</p> <input type="checkbox"/>
<p>SSH Session Logging ⓘ</p> <input type="text" value="Output"/>	<p>Encrypt SSH Session Logs ⓘ</p> <input type="checkbox"/>
<p>RDP Recording ⓘ</p> <input type="checkbox"/>	<p>Web Proxy Logging ⓘ</p> <input type="text" value="-- None --"/>
<p>Proxy Allow All ⓘ</p> <input type="checkbox"/>	<p>Tunnel Allow All ⓘ</p> <input type="checkbox"/>
<p>Four Eyes Authorization ⓘ</p> <input type="checkbox"/>	<p>Hide Server Details ⓘ</p> <input type="checkbox"/>
<p>Consider Server Activity ⓘ</p> <input type="checkbox"/>	<p>Recursive Delete Protection ⓘ</p> <input checked="" type="checkbox"/>
<p>Shell Activity Timeout ⓘ</p> <input type="text" value="0"/>	<p>Failed Login Notifications ⓘ</p> <input checked="" type="checkbox"/>
<p>Passthrough Environment Variables ⓘ</p> <input type="text" value="LANG, LC_CTYPE, LC_NUMERIC, LC_TIME, LC_COLLATE, LC_MONETARY, LC_MESSAGES, LC_ALL"/>	<p>Change Notifications ⓘ</p> <input type="checkbox"/>
<p>Cancel Save</p>	



Step 2. How to enable change notification in Ezeelogin Jump Host?

Change Notification -- Send mail notification to super admin user when important changes are done on Ezeelogin GUI.

You can enable notification in **Settings -> General -> Security -> Change Notification**

Ezeelogin Welcome, Administrator Logout

General Settings Authentication Two Factor Authentication **Security** Defaults Miscellaneous

- Servers
- Web Portals
- Users
- Access Control
- Settings**
- General
- Branding
- Control Panels
- Data Centres
- API
- LDAP
- SAML
- RADIUS
- Server Fields
- Cluster
- Command Guard
- Account
- Help
- License


Password Minimum Length	<input type="text" value="20"/>	Password Maximum Length	<input type="text" value="32"/>
Password Minimum Block Letters	<input type="text" value="1"/>	Password Minimum Small Letters	<input type="text" value="1"/>
Password Minimum Special Characters	<input type="text" value="1"/>	Password Minimum Digits	<input type="text" value="1"/>
Auto Create User	<input type="checkbox"/>	Command Guard	<input type="text" value="Disable"/>
Automated Password Change	<input type="checkbox"/>	Shell Access Notification	<input type="checkbox"/>
SSH Session Logging	<input type="text" value="Output"/>	Encrypt SSH Session Logs	<input type="checkbox"/>
RDP Recording	<input type="checkbox"/>	Web Proxy Logging	<input type="text" value="-- None --"/>
Proxy Allow All	<input type="checkbox"/>	Tunnel Allow All	<input type="checkbox"/>
Four Eyes Authorization	<input type="checkbox"/>	Hide Server Details	<input type="checkbox"/>
Consider Server Activity	<input type="checkbox"/>	Recursive Delete Protection	<input checked="" type="checkbox"/>
Shell Activity Timeout	<input type="text" value="0"/>	Failed Login Notifications	<input type="checkbox"/>
Passthrough Environment Variables	<input type="text" value="LANG, LC_CTYPE, LC_NUMERIC, LC_TIME, LC_COLLATE, LC_MONETARY, LC_MESSAGES, LC_ALL"/>		

Change Notifications ←

Step 3. How to enable shell access notification in Ezeelogin Jump Host?

Shell access notification -- Send mail to super admin user when a user login to Ezeelogin shell (ezsh).

You can enable notification in **Settings -> General -> Security -> Shell Access Notification**



[Configure SMTP on Ezeelogin Jump server](#)

[Error: User with the email does not exist, but with the username exists](#)

Online URL:

<https://www.ezeelogin.com/kb/article/how-to-enable-mail-notifications-in-ezeelogin-jump-host-371.html>