

How does " Web Activity" in Ezeelogin works?


410 Riya Francis February 24, 2025 [General](#) 3319

How to find "Web Activity" logs or how to export Web Activity logs in Ezeelogin?


Overview: The "Web Activity" log provides a detailed record of user interactions with the web panel, including accessed sections and functions, along with date and time stamps; it allows searches based on user, section, and date range, where users are Ezeelogin accounts, sections are GUI areas accessed, and dates define the log search period.

Note: Only the Super admin user or the privileged user can access the web activity logs.

1. Click on the **Users >> Web Activity** tab to access the [web activity](#) logs. The following image shows an example of the web activity logs for the admin user.



The drop-down menu for the **section** covers the following areas; **Servers, Users, Access control, Settings, Command Guard, Account, Authentication, License, and Help**. The following image shows the web activity logs of a regular user with the "Server" section.



Under the **server section**, you can find the following web activity logs.

- **Add Server**
- **Edit server**

- **Delete server**

- **Change server group**

- **Enable or disable SSH connectivity**

- **Change SSH port**

- **Change SSH fingerprint**


- **Reset password on servers**

- **Setup keys on servers**


- **Server group creation**

Under the **User section**, you can find the following web activity logs.

- **User add**



The screenshot shows a table titled "Web Activity Logs" with a "Clear all" button. The table has six columns: Username, Section, Function, Target, Time, and Actions. There is one data row for the user "admin" in the "users" section, with the function "add", target "Added: Jack (8)", and time "2021-07-13 11:35:52".

| <input type="checkbox"/> | <u>Username</u> | <u>Section</u> | <u>Function</u> | <u>Target</u> | <u>Time</u> | <u>Actions</u> |
|--------------------------|-----------------|----------------|-----------------|-----------------|---------------------|---|
| <input type="checkbox"/> | admin | users | add | Added: Jack (8) | 2021-07-13 11:35:52 |  |

- **Edit the user or any changes made by editing the user.**


- **Delete user**

- **Reset access control(8 refers to the user_id of the user)**

- **Generate and reset the password of the user.**

2. Export Web Activity log

Step 2(A): Click on the **Users -> Web Activity -> Export** to export the Web Activity logs into an Excel sheet. Refer to the following image to download all users' web activity logs into an Excel sheet.



3. View API logs

Step 3(A): To view all the actions performed via API navigate to **Users -> Web Activity -> who** and select **API**. This will display a list of logs for all actions executed through API.

User: -- All --

Section: -- All --

From: 2025-01-01 19:05

To: 2025-01-22 19:05

Rows Per Page: 10

Note: Logs are local to the node. Search the other node as well if cluster is configured.

Who: API

Export Reset Find

| Username | Section | Function | Target | API | Time | Actions |
|-------------------------------------|---------|-----------------|------------------------------|-----|---------------------|---------|
| - admin1 | users | set_expiry | 10 | 1 | 2025-01-17 06:33:08 | |
| User expiry set: john -> 2025-01-30 | | | | | | |
| admin1 | servers | get_server_list | | 1 | 2025-01-17 05:34:52 | |
| + admin1 | users | set_expiry | 2 | 1 | 2025-01-13 00:00:29 | |
| + admin1 | users | set_expiry | 2 | 1 | 2025-01-11 16:07:40 | |
| + admin1 | users | unsuspend | 2 | 1 | 2025-01-11 16:05:58 | |
| + admin1 | users | suspend | 2 | 1 | 2025-01-11 16:05:26 | |
| + admin1 | servers | add | Added: web.eznoc.com2 (17) | 1 | 2025-01-11 08:29:33 | |
| + admin1 | servers | edit | Updated: web.eznoc.com1 (16) | 1 | 2025-01-11 08:01:04 | |
| + admin1 | servers | change | fingerprint | 1 | 2025-01-11 07:14:02 | |

Step 3(B): Selecting "User" will display a list of logs for all actions executed through web GUI.

User: -- All --

Section: -- All --

From: 2025-01-01 19:05

To: 2025-01-22 19:05

Rows Per Page: 10

Note: Logs are local to the node. Search the other node as well if cluster is configured.

Who: User

Export Reset Find

| Username | Section | Function | Target | API | Time | Actions |
|----------|---------|-------------|--------|-----|---------------------|---------|
| admin1 | users | webactivity | 1 | 0 | 2025-01-22 00:54:36 | |
| admin1 | users | webactivity | 1 | 0 | 2025-01-22 00:54:32 | |
| admin1 | users | webactivity | 1 | 0 | 2025-01-22 00:54:28 | |
| admin1 | users | webactivity | 1 | 0 | 2025-01-22 00:51:06 | |
| admin1 | users | webactivity | 1 | 0 | 2025-01-22 00:51:04 | |
| admin1 | users | webactivity | 1 | 0 | 2025-01-22 00:50:56 | |
| admin1 | users | webactivity | 1 | 0 | 2025-01-22 00:50:55 | |
| admin1 | users | webactivity | 1 | 0 | 2025-01-22 00:50:55 | |
| admin1 | users | webactivity | 1 | 0 | 2025-01-22 00:50:54 | |

This feature to list the logs for the actions performed via API is available from [Ezeelogin version 7.40.0](#)

Related Articles:

[Find a detailed web activity log.](#)

[Different logs of users.](#)

[Access Control explained.](#)

Online URL: <https://www.ezeelogin.com/kb/article/how-does-web-activity-in-ezeelogin-works-410.html>