

Is it possible to manage Ezeelogin users via API?

456 Riya Francis August 9, 2024 [General](#) 1911


Managing users in Ezeelogin via API

Overview: This article explains how to manage Ezeelogin users via the API for actions such as suspending, unsuspending, and forcing password changes, while noting that user creation and removal are not supported due to security risks.

It is not possible to create or remove Ezeelogin users with the API feature since there are a lot of risk factors associated with it. We recommend [LDAP or Active Directory](#) as the best way for user management.

User suspension, unsuspending, and force password change can be performed with the API feature.

Login to **Ezeelogin GUI** -> **Settings** -> **API** and **set a new API secret**.



The API script can be executed as:

```
php /usr/local/ezlogin/ezwapi.php [params...]
```

For Help

```
php /usr/local/ezlogin/ezwapi.php -help
```

Usage:

```
ezwapi.php -help <action>
```

action : API action (suspend_user/unsuspend_user/force_user_password_change)

1. Suspend User


```
php /usr/local/ezlogin/ezwapi.php -help suspend_user
```

Usage:

```
ezwapi.php suspend_user -api_url <API URL> -secret <API secret> -user <username>
```

Example:

```
php /usr/local/ezlogin/ezwapi.php suspend_user -api_url http://192.168.1.9/ezlogin -secret zxcvbnm -user john
```



The screenshot shows the Ezeelogin web interface. On the left is a navigation menu with 'Users' highlighted. The main content area displays a table of users. A green arrow points to the 'Suspended' status of the user 'john'.

Username	First Name	Last Name	Email	Status	Expiry	User Group	Actions
alex	alex		alex@ezeelogin.com	Active		Dummy	[Icons]
ezadmin	Administrator		admin@ezeelogin.com	Active		Admins	[Icons]
john	john		john@ezeelogin.com	Suspended		Dummy	[Icons]
victor	victor	jake	victor@ezeelogin.com	Active		Dummy	[Icons]

2. Unsuspend User


```
php /usr/local/ezlogin/ezwapi.php -help unsuspend_user
```













Usage:

```
ezwapi.php unsuspend_user -api_url <API URL> -secret <API secret> -user <username>
```

Example:

```
php /usr/local/ezlogin/ezwapi.php unsuspend_user -api_url http://192.168.1.9/ezlogin -secret zxcvbnm -user john
```



<input type="checkbox"/>	Username ↓	First Name	Last Name	Email	Status	Expiry	User Group	Actions
<input type="checkbox"/>	alex	alex		alex@ezeelogin.com	Active		Dummy	  
<input type="checkbox"/>	ezadmin	Administrator		admin@ezeelogin.com	Active		Admins	  
<input type="checkbox"/>	john	john		john@ezeelogin.com	Active		Dummy	  
<input type="checkbox"/>	victor	victor	jake	victor@ezeelogin.com	Active		Dummy	  

3. Force password change


```
php /usr/local/ezlogin/ezwapi.php -help force_user_password_change
```

Usage:

```
ezwapi.php force_user_password_change -api_url <API URL> -secret <API secret> -user <username>
```

Example:

```
php /usr/local/ezlogin/ezwapi.php force_user_password_change -api_url http://192.168.1.9/ezlogin -secret zxcvbnm -user john
```



Note: This feature is only available from **Ezeelogin version 7.32.0**

[Related Articles](#)

[Add / update / delete servers through Ezeelogin API](#)

[Add server with private key stored in database with API](#)

Online URL:

<https://www.ezeelogin.com/kb/article/is-it-possible-to-manage-ezeelogin-users-via-api-456.html>