Different types of Users in Ezeelogin

465 Nesvin KN March 12, 2025 Features & Functionalities 2469

Types of users in Jumpserver.

Overview: This article describes the different types of users in Gateway server: Ezeelogin Gateway Users, Remote SSH Users, SubSSH Users, and Pass User Through.

1. Ezeelogin Gateway User

Gateway users are users who are added through the Ezeelogin GUI.

Refer to the below screenshot to add an Ezeelogin gateway user or refer to usermanual.

ows Auto 🗸					State State State Land	1		all and the second	🗏 Servers 🔹 🕨
						All 🗸	rs find	Use	
Actions	User Group	Expiry	Status	Email	Last Name	First Name	<u>Username</u> ↓		Web Portals
😼 🧷 🍸 🗎	Admins		Active	John.Smith@gmail.com	Smith	John	John		Users 🔻
😼 🧹 T 🗎	Admins		Active	admin@gmail.com		Administrator	admin		
😼 🦯 🍸 🗎	Admins		Active	karl@gmail.com		karl	karl		User Groups
V / 7 8	Admins		Active	tom@gmail.com	cruise	tom	tom		Authentication Log
😼 🦯 🍸 🗎	Admins		Active	zan@gmail.com	aaa	zan	zan		SSH Log
									RDP Recording
1 -								2. 1	SCP Log
10-10-2013	a provident of	in a second second	1 20 1 1 1 1 N	and the state of the	The state of the second		1000 1000 11	10-02	Web Proxy Log
									Web Proxy Activity
									Web Proxy Log Web Proxy Activity Web Activity

2. Remote SSH User

Remote SSH users are the users that are logged in when SSH to the remote servers.

Refer below screenshot to add a remote SSH user.

Ezeelogin		Welcome, Administrator Logout
E Servers	Edit Server	
 Server Groups 	Hostname	IP Address(es) 💿
 Super Groups 		
 Sub SSH Users 	Alphaserver	192.168.0.111
 Sub SSH User Maps 	Remote SSH / RDP Login User	SSH / RDP Password
 mExec lists 	root	
► Import	- SSH Private Key 🐨	Clear 🕑
 Global Key 		
 Key Management 		SSH Key Passphrase 🧐
📕 Web Portals 🔹 🕨	SSH Port	
	22	SSH
±t Users ►	Password Management 😻	enabled \$
Access Control	keep server password	Server Group
% Settings	RDP Port	CollectiveTech \$
0	3389	RDP 💿
🛞 Cluster		X
Ommand Guard	Windows Domain 🗑	Datacenter
Account	Control Panel 😨	None \$
		First Prompt 🐵
🛇 Help 🕨 🕨	None 🛊	rist riompt 🖤
License	Description	
		Cancel Save
· · ·	Advanced	0
Powered by	Advanced	

3. SubSSH User

Subssh users are users who are created in WebGUI to log in to the remote servers as non-privileged users.

Refer to the screenshot or article to add subssh user.

ervers 🔻 💼				
	Sub SSH Users find	All 🗸 🥑		Rows Auto -
arver Groups	<u>Username</u> ↓	Groups	Туре	Actions
iper Groups	kate	subssh	Managed	=
Ib SSH Users	sarah	subssh	Managed	
ib SSH User Maps	leo		Unmanaged	/ 🗄
Exec lists	james	subssh	Managed	6
iport	john	subssh	Managed	E
obal Key	skyler	subssh	Managed	6
ey Management	hayden	subssh	Managed	Ē
eb Portals 📃 🕨	kyler	subssh	Managed	6
	charlie	subssh	Managed	6
sers 🕨		subssh	Managed	1
ccess Control	riley			6
	sandra	subssh	Managed	
ettings 🕨 🕨				1 - 1
luster	and the second second			and the state of the
ommand Guard 🕨				
ccount >				
elp 🕨				1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
cense				

4. Pass User Through

Pass user through are users who can log in to a remote server as the same user logging into Web GUI.

Refer below screenshot to enable pass user through.

Ezeelogin		Welcome, Administrator Logout
≣ Servers ►	Edit User	•
🖬 Web Portals	First Name	Last Name
1t Users	tom	cruise
 User Groups 	Username 🥥	Email
Authentication Log	tom	tom@gmail.com
 SSH Log 	User Group	Status
 RDP Recording 	Admins \$	Active X Suspended
 SCP Log 	Expire 🥥	Command Guard 🥹
 Web Proxy Log 	Never 🗘	None 🗘
 Web Proxy Activity 	Limit IPs 😨	Allow Disallow
Web Activity Shell Activity	X	Virtual Shell 🥥
 Server Activity 	Allowed IPs @	
 Work Summary 		Pass User Through @
 Status 	4	Inhent
Access Control	SSH Private Key 🐵	
		SSH Key Passphrase 🕑
% Settings ►		
🛞 Cluster		LDAP @
Command Guard	Sub SSH User 💿	None \$
	- Select +	Prompt Reason 🐵
Account		×
🛇 Help 🔹 🕨	Force Password Change 🗑	Authorization Password 🥹
	X	

5. Super admin user

Super admin user is the <u>default user account</u> created during installation, which cannot be deleted or modified, and any changes to the username require uninstalling and reinstalling Ezeelogin; however, this user can be suspended.

Ezeelogin									Welcome, Administrator Log
± Users	V	Users find		All	~			1999 (A. 1997)	Rows Auto -
		□ <u>Username</u> ↓	First Name	<u>Last Name</u>	Email	<u>Status</u>	Expiry	User Group	Actions
		Celin	Celin		Celin@mo.co	Active		Admins	😼 🥢 🍸 🛱
		Felip	Felip		Felip@do.co	Active		Admins	👎 🥖 🍸 🛱
		C Katherin	Katherin		Katherin@mo.co	Active		Admins	🗔 🥢 🍸 🚍
		Mathew	Mathew		Mathew@mo.co	Active		Dummy	👎 🦯 🍸 🚍
	1.0	Merin	Merin		merin@do.co	Active		Dummy	🍜 🖌 🎙 🗎
		ezadm178	Administrator			Active		Admins	👎 🧹 🍷 🗎
		🗌 zera	zera		zera@dmo.ok	Active		Admins	🗾 🖉 🍸 🗎

Related Articles:

Access different servers with different subssh users.

Create more admin users.

Online URL: https://www.ezeelogin.com/kb/article/different-types-of-users-in-ezeelogin-465.html