

Basic MySQL commands for troubleshooting database related issues in Ezeelogin

467 Riya Francis January 21, 2022 [Common Errors & Troubleshooting](#) 2003

Basic MySQL commands for troubleshooting database related issues in Ezeelogin

You can get the Ezeelogin **database** and **prefix** from the `/usr/local/etc/ezlogin/ez.conf`.

1.Ezeelogin database backup

Example:


2. Restore Ezeelogin database



Example:



3. How to take a backup of a table in the Ezeelogin database



```
mysqldump -u <db_username> -p db_name table_name > table_name.sql
```

Example:



4. How to restore a table in Ezeelogin

```
mysql -u username -p db_name < /path/to/table_name.sql
```

Example:

5. To update the specific field in a table to null of the admin user

```
update dbprefix_gwactivity_logs set status="" where id=1;
```

Example:

6. To reset fingerprint on Ezeelogin:

You can also reset the fingerprint by running : `php /usr/local/ezlogin/ez_queryrunner.php "UPDATE prefix_settings SET value="" WHERE name='local_fp'"`

```
update dbprefix_settings set value="" where name='local_fp';
```

Example:

7. To check the count of the remote devices in Ezeelogin

Example:

8. To display id and the hostname of remote devices in order by name.



Example:



9. Flush Ezeelogin license from database

You can also flush the license from the terminal by the following command: **php /usr/local/ezlogin/ez_queryrunner.php "update prefix_settings set value="" where name='ezlel' "**




Example:





10. To display user details of a particular user in a readable format.



```
select username,status,lpwc_ts,expiry,last_login_at,last_login_from,last_login_type,last_activity from dbprefix_users where username='username'G;
```

Example:



Online URL:

<https://www.ezeelogin.com/kb/article/basic-mysql-commands-for-troubleshooting-database-related-issues-in-ezeelogin-467.html>