


How to use the LDAP password as the security code on user login in SSH?

485 Nesvin KN April 30, 2024 [General](#) 1703

How to login as LDAP user into EZSH shell without accessing the Ezeelogin GUI?

LDAP users need to log in to Ezeelogin GUI to set up the security code. However, it can be done by enabling Security Code LDAP. If Security Code LDAP is enabled [LDAP users](#) need not want to login to Ezeelogin GUI to set up their security code instead LDAP password can be used as the security code.

Refer below screenshot to enable Security Code LDAP.



Refer below articles to setup [pam ldap](#) in the gateway servers.

Ubuntu

Refer below article to configure Ezeelogin to authenticate using Windows_AD(Pam-Ldap) in ubuntu.

[Configure Ezeelogin to authenticate using Windows AD\(Pam-Ldap\) in ubuntu.](#)

Refer below article to configure Ezeelogin to authenticate using Open_Ldap(Pam-Ldap) in ubuntu.

[Configure Ezeelogin to authenticate using Open_Ldap\(Pam-Ldap\) in ubuntu.](#)

CentOS

Refer below article to configure Ezeelogin to authenticate using Windows_AD(Pam-Ldap) in centos.

[Configure Ezeelogin to authenticate using Windows_AD\(Pam-Ldap\) in centos.](#)

Refer below article to configure Ezeelogin to authenticate using OpenLdap(Pam-Ldap) in centos.

[Configure Ezeelogin to authenticate using OpenLdap\(Pam-Ldap\) in centos.](#)

Debian

Refer below article to configure Ezeelogin to authenticate using Windows_AD / OpenLDAP (Pam-Ldap) in Debian.

[Configure Ezeelogin to authenticate using Windows_AD / OpenLDAP \(Pam-Ldap\) in Debian.](#)

Integrate Windows AD / OpenLDAP with SSSD.

1. Check out the below article of Windows AD integration with Ezeelogin (CentOS)

[Configure Ezeelogin to authenticate using Windows_AD in CentOS.](#)

2. Check out the below article of Windows AD integration with Ezeelogin (RHEL8)

[Configure Ezeelogin to authenticate using Windows_AD in RHEL8.](#)

3. Check out the below article of OpenLDAP integration with Ezeelogin (CentOS)

Configure Ezeelogin to authenticate using OpenLDAP in CentOS.

Related Articles

Can we map existing user group in ldap to ezeelogin as ezeelogin user group ?

Assigning user group for LDAP users?

Online URL:

<https://www.ezeelogin.com/kb/article/how-to-use-the-ldap-password-as-the-security-code-on-user-login-in-ssh-485.html>