Ezeelogin Timeouts Explained

488 Nesvin KN November 1, 2024 Features & Functionalities 1988

How to configure timeout values?

Overview: This article describes how to configure timeout values for GUI, shell activity, and SSH connections.

1. Ezeelogin GUI Timeout

Ezeelogin GUI timeout happens when there is no user activity for a particular time in Ezeelogin GUI. Users need to log in again with the credentials to the Ezeelogin GUI when a GUI timeout happens. Ezeelogin GUI timeout is set to 3600 seconds (60 minutes) by default.

Refer article to configure Ezeelogin GUI Timeout


2. Shell Activity Timeout

Shell Activity Timeout happens when there is no user activity for a particular time in the Ezeelogin shell. Users need to log in again with the credentials to the Ezeelogin shell when shell activity timeout happens. Shell Activity timeout will be set to 0 (zero means no timeout) by default.

Refer article to configure Shell Activity Timeout.

3. SSH Timeout

SSH timeout is the SSH connection timeout from the Ezeelogin gateway server to the remote server. SSH timeout will be set to 10 seconds by default. Refer below screenshot to change the SSH timeout. Note that changes made in Settings would be an occurrence of Global change among all Ezeelogin users.



Related Articles:

Increase web proxy session timeout.

Setting session timeout of the web interface.

Track user shell activity.

Online URL: https://www.ezeelogin.com/kb/article/ezeelogin-timeouts-explained-488.html