


How to install and switch different versions of PHP in Ubuntu?

506 Nesvin KN January 22, 2025 [General](#) 34669



EZELOGIN

**Record, monitor and track
SSH sessions of your
employees**

30 Days Free Trial

The advertisement features a dark green background with white text. On the right side, there is a 3D isometric illustration of a laptop displaying a dashboard with charts and graphs, connected to a server rack and a cloud. Small human figures are shown interacting with the laptop and server. The EZELOGIN logo is in the top left corner, and a '30 Days Free Trial' badge is in the bottom left corner.

How to install multiple PHP versions in Ubuntu?

Overview: This article explains how to install multiple PHP versions on Ubuntu, switch between them for CLI and GUI, and configure Apache to enable different PHP versions for different applications.

Installing and switching different versions of PHP is important because different applications and websites require different versions of PHP to function properly. For example, an older website may require an older version of PHP to work, while a newer application may require a newer version of PHP.

In addition, some developers may prefer to work with a specific version of PHP for their projects. Being able to switch between different versions of PHP allows developers to work with the version that is best suited for their project.

Step 1. Run the below command to install PPA and enable the PHP repository.

```
root@ubuntu ~]# apt update ; apt install software-properties-common -y ; add-apt-repository ppa:ondrej/php
```

Step 2. Install different versions of PHP by the below commands.

```
root@ubuntu ~]# apt install php8.1 -y
```

```
root@ubuntu ~]# apt install php8.2 -y
```

Step 3. You can check the **PHP** version from CLI using the below command.

```
root@ubuntu ~]# php -v
```

```
PHP 8.1.18 (cli) (built: Apr 21 2022 10:14:55) ( NTS )
Copyright (c) The PHP Group
Zend Engine v4.0.18, Copyright (c) Zend Technologies
with Zend OPcache v8.0.18, Copyright (c), by Zend Technologies
```

Step 4. You can check the **PHP** version for GUI by adding *phpinfo.php* and accessing with **<server-ip>/phpinfo.php**

```
root@ubuntu ~]# echo "<?php phpinfo()?>" >> /var/www/html/phpinfo.php
```

Step 5. Check all **PHP versions** installed on *ubuntu* by running the below commands.

```
root@ubuntu ~]# dpkg-query -f='${Package} ${Version} ${Architecture}\n'
```

```
root@ubuntu ~]# apt list --installed | grep -i php
```

How to switch PHP version for CLI?

Run the below command and select the **PHP version** you want to switch to. In the below example I'm switching the PHP version to 7.4.

```
root@ubuntu ~]# update-alternatives --config php
```

There are 4 choices for the alternative php (providing /usr/bin/php).

```
Selection Path Priority Status
```

```
-----  
* 0 /usr/bin/php8.1 80 auto mode  
1 /usr/bin/php8.2 82 manual mode
```

Press <enter> to keep the current choice[*], or type selection number: 1

update-alternatives: using /usr/bin/php7.4 to provide /usr/bin/php (php) in manual mode

```
root@ubuntu ~]# update-alternatives --config phar
```

There are 4 choices for the alternative phar (providing /usr/bin/phar).

```
Selection Path Priority Status
```

```
-----  
* 0 /usr/bin/php8.1 80 auto mode  
1 /usr/bin/php8.2 82 manual mode
```

Press <enter> to keep the current choice[*], or type selection number: 1

update-alternatives: using /usr/bin/phar7.4 to provide /usr/bin/phar (phar) in manual mode

```
root@ubuntu ~]# update-alternatives --config phar.phar
```

There are 4 choices for the alternative phar.phar (providing /usr/bin/phar.phar).

```
Selection Path Priority Status
```

```
-----  
* 0 /usr/bin/php8.1 80 auto mode  
1 /usr/bin/php8.2 82 manual mode
```

Press <enter> to keep the current choice[*], or type selection number: 1

update-alternatives: using /usr/bin/phar.phar7.4 to provide /usr/bin/phar.phar (phar.phar) in manual mode

After completing above three steps, check **php version** by running the below command.

```
root@ubuntu ~]# php -v
```


```
PHP 8.2.19 (cli) (built: Apr 21 2022 10:16:36) ( NTS )  
Copyright (c) The PHP Group
```

Zend Engine v3.4.0, Copyright (c) Zend Technologies
with Zend OPcache v7.4.29, Copyright (c), by Zend Technologies

How to switch PHP version for GUI?

Step 1. View current version loaded in GUI by viewing the **PHP** configuration file. Run below command and view the configuration in browser with **<server_ip>/phpinfo.php**

```
root@ubuntu ~]# echo "<?php phpinfo()?>" >> /var/www/html/phpinfo.php
```



System	Linux ubuntu20 5.4.0-110-generic #124-Ubuntu SMP Thu Apr 14 19:46:19 UTC 2022 x86_64
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php/5.6/apache2
Loaded Configuration File	/etc/php/5.6/apache2/php.ini
Scan this dir for additional .ini files	/etc/php/5.6/apache2/conf.d
Additional .ini files parsed	/etc/php/5.6/apache2/conf.d/10-opcache.ini, /etc/php/5.6/apache2/conf.d/10-pdo.ini, /etc/php/5.6/apache2/conf.d/20-calendar.ini, /etc/php/5.6/apache2/conf.d/20-ctype.ini, /etc/php/5.6/apache2/conf.d/20-exif.ini, /etc/php/5.6/apache2/conf.d/20-fileinfo.ini, /etc/php/5.6/apache2/conf.d/20-ftp.ini, /etc/php/5.6/apache2/conf.d/20-gettext.ini, /etc/php/5.6/apache2/conf.d/20-iconv.ini, /etc/php/5.6/apache2/conf.d/20-json.ini, /etc/php/5.6/apache2/conf.d/20-phar.ini, /etc/php/5.6/apache2/conf.d/20-posix.ini, /etc/php/5.6/apache2/conf.d/20-readline.ini, /etc/php/5.6/apache2/conf.d/20-shmop.ini, /etc/php/5.6/apache2/conf.d/20-sockets.ini, /etc/php/5.6/apache2/conf.d/20-sysvmsg.ini, /etc/php/5.6/apache2/conf.d/20-sysvsem.ini, /etc/php/5.6/apache2/conf.d/20-sysvshm.ini, /etc/php/5.6/apache2/conf.d/20-tokenizer.ini

Step 2. Run the below commands to disable and enable multi **PHP** versions.


```
root@ubuntu ~]# a2dismod php8.1
```

```
root@ubuntu ~]# a2enmod php8.2
```

```
root@ubuntu ~]# systemctl restart apache2
```

Step 3. Now refresh GUI and confirm the **PHP** version has changed.

← → ↻ Not secure | 192.168.1.116/phpinfo.php ☆ ⚙️ 📄 🏠 Incognito

PHP Version 7.4.29 

System	Linux ubuntu20 5.4.0-110-generic #124-Ubuntu SMP Thu Apr 14 19:46:19 UTC 2022 x86_64
Build Date	Apr 21 2022 10:16:36
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php/7.4/apache2
Loaded Configuration File	/etc/php/7.4/apache2/php.ini
Scan this dir for additional .ini files	/etc/php/7.4/apache2/conf.d
Additional .ini files parsed	/etc/php/7.4/apache2/conf.d/10-opcache.ini, /etc/php/7.4/apache2/conf.d/10-pdo.ini, /etc/php/7.4/apache2/conf.d/20-calendar.ini, /etc/php/7.4/apache2/conf.d/20-ctype.ini, /etc/php/7.4/apache2/conf.d/20-exif.ini, /etc/php/7.4/apache2/conf.d/20-ffi.ini, /etc/php/7.4/apache2/conf.d/20-fileinfo.ini, /etc/php/7.4/apache2/conf.d/20-ftp.ini, /etc/php/7.4/apache2/conf.d/20-gettext.ini, /etc/php/7.4/apache2/conf.d/20-iconv.ini, /etc/php/7.4/apache2/conf.d/20-json.ini, /etc/php/7.4/apache2/conf.d/20-pear.ini, /etc/php/7.4/apache2/conf.d/20-posix.ini, /etc/php/7.4/apache2/conf.d/20-readline.ini, /etc/php/7.4/apache2/conf.d/20-shmop.ini, /etc/php/7.4/apache2/conf.d/20-sockets.ini, /etc/php/7.4/apache2/conf.d/20-sysvmsg.ini, /etc/php/7.4/apache2/conf.d/20-sysvsem.ini, /etc/php/7.4/apache2/conf.d/20-sysvshm.ini, /etc/php/7.4/apache2/conf.d/20-tokenizer.ini

FAQ

1. Can we install multiple PHP versions?

Yes, it is possible to install multiple versions of PHP on the same Ubuntu system. This allows you to switch between different versions of PHP depending on the requirements of your projects or applications.

2. How to install multiple PHP versions Ubuntu 20?

There are different ways to install multiple PHP versions, but one common method is to use a package manager like apt-get to install each version of PHP as a separate package. Refer the article [How to install multiple PHP versions in Ubuntu?](#)

3. How to switch between multiple PHP versions in Ubuntu?

Refer the article [How to install multiple PHP versions in Ubuntu?](#)

Related Articles:

[How to upgrade PHP to 7.4 on Centos 7](#)

[PHP Fatal error](#)

Online URL:

<https://www.ezeelogin.com/kb/article/how-to-install-and-switch-different-versions-of-php-in-ubuntu-506.html>