Transfer file from desktop machine to remote server

538 Nesvin KN February 13, 2025 Productivity & Efficiency Features 2405

How to transfer files from the user's desktop to remote servers using Ezeelogin jump server ?

Overview: This article explains how to transfer files between a user's desktop and remote servers using Ezeelogin jump server. It covers the process of uploading and downloading files, granting necessary privileges, troubleshooting common errors, and configuring PHP settings to resolve issues related to file transfer. Additionally, it outlines how to view file transfer logs and handle authentication problems effectively.

This feature is available from Ezeelogin version 7.30.0. Refer below article to upgrade the current Ezeelogin installation to the latest version.

How to upgrade the Ezeelogin version to the latest?

Upload files from the desktop to remote servers via Ezeelogin GUI.

Click on the **File Upload** icon and choose a file from the client machine. Provide a **Remote Path** where the file needs to be copied and then click on the **Upload** button.

File upload can be done in the directories where users have the privilege. The remote user can be specified in **Edit Server** -> **Remote SSH login user / RDP login user**

- (m)								
C Ez								Welcome, Administrator Log
t≣ Servers	1	File Up	load: dbs.fr	ankfurt			A	
Server Groups	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	File				Remote Path		
 Super Groups 		a art nor		thoose File		/reat/		
 Sub SSH Users 		cert.per				1000		
 Sub SSH User Maps 						Cancel Upload		
 mExec lists 			en an	and the second state of the second	SALAN PROPERTY	of the second second second	ndaand bereken teresta	and the second second
► Import		Servers	find	All	✓ domain lookup	2		Rows Auto 🗸 💿
 Global Key 			<u>ame</u> ↓	IP Address	Server Group	SSH Port	Description	Actions
 Key Management 	12	•	dbs.frankfurt	10.10.1.22	dbservers-frankfurt	22		
Web Portals	-	•	prod1.dallas	10.10.1.22	production-Dallas	22		/
	-							1-2/2

Download Files from the remote servers to desktop via Ezeelogin GUI

Click on the **File download** icon and provide the **Remote Path** where the file is located and then click on the **Download** button.

O` Ez							Welcome, Administrator Logo
t≣ Servers ▼	File Down	1load: dbs.fr	ankfurt			A. C. S. S. S.	
 Server Groups 	Provento El				nel per de set per de set per la pertensión en per de set per de s		
▶ Super Groups	Remote FI	lie					
 Sub SSH Users 	/root/packa	age.tar.gz 🔹					
 Sub SSH User Maps 	Cancel	Download					
▶ mExec lists	a series	Sales I for	- California and a sale	and a second second second	and the second states and	and the state of the second	and the second second
▶ Import	Servers	find	All	✓ domain lookup	2		Rows Auto 🗸 💿
 Global Key 	□ Nan	ne 🗸	IP Address	Server Group	SSH Port	Description	Actions
 Key Management 	- + db	s.frankfurt	10.10.1.22	dbservers-frankfurt	22		/ 🖬 🖬
Web Portals	- + pro	od1.dallas	10.10.1.22	production-Dallas	22		/

How to grant privileges for gateway users to transfer files to the remote servers?

1. Allow users to access the servers. Refer to the below screenshot.

Ezeelogin	Velcome, Administrator Logou
≣ Servers ►	
	Control the access of a user to specific servers
Web Portals	User
tt Users ►	alex \$
Access Control 🛛 🔻	Servers Expand all - Collapse all - Select all - Torple selection
UserGroup-ServerGroup	
User-ServerGroup	production server
User-Server	
UserGroup-PortalGroup	Authorization Password 😡
User-PortalGroup	
User-Portal	
UserGroup-Action	Cancel Save
 User-Action 	
 User-SSHKey 	· · · · · · · · · · · · · · · · · · ·

2. Edit privilege for that user and allow **Web File Transfer** to enable **File Upload** for that user. Refer below screenshot.

Ezeelogin	Welcome, Administrator Logout
≣ Servers ►	
Web Portals	Control the access of a user to specific actions
	User
🎎 Users 🔹 🕨	alex \$
Access Control	Actions
 UserGroup-ServerGroup 	Expand all - Collapse al - Select all - Toggle selection
User-ServerGroup	 T □ Gateway (aka Bastion Host) T □ Gateway (aka Bastion Host) T □ Gateway (aka Bastion Host)
▶ User-Server	Add Server
 UserGroup-PortalGroup 	
 User-PortalGroup 	View IP Address
▶ User-Portal	
UserGroup-Action	View Super Groups
User-Action	Div View SSH Private Key and Passphrase
User-SSHKey	Www Encrypted Server Fields
Q. Sattings	Coor Patients Stell
o octurigo	Control Panel Login
🛞 Cluster	Data Center Login
Command Guard	D IPMI login
Command Guard	Seed Server Password
n Account	Reset Server Fingerprint
Ø Hele	
teip ⊨	
📕 License	D View mExec Lists
4 Collansa	
	Delete mExec List
a and a	C Change Servers In mExec List
ezeelogin.com	
	D Edit Sub SSH User
	□ Delete Sub SSH User
	- 🗅 🗅 Add Sub SSH User Maps
	B Edit Sub SSH User Maps
	Bit Private Key
	D Web SSH Console
•	U Web File Transfer
	Command Guard Manager
	T → Help
	🕀 🗋 🗅 Web Portals
	Authorization Password 🕹

Common errors in Ezeelogin GUI while Uploading/Downloading files.

View detailed error messages on the application log. Tail the latest log and see the mess

root@gateway :~# echo "log_level trace" >> /usr/local/etc/ezlogin/ez.conf

root@gateway :~# cd \$(awk '/^system_folder/ {print \$2}' /usr/local/etc/ezlogin/ez.conf)/application/logs/

root@gateway :~# tail log-20xx-xx.php

1. Error: Remote file open failed

Ezeelogin						Welcome, alex Logout
i≣ Servers ▼		1				ALL DESCRIPTION OF THE OWNER OWNE
	Error: Remote file open fail	ed				X
	File Upload: production	on.server	A CONTRACTOR OF A CONTRACTOR A		No.	
 Key Management 	File			Remote Path		
😭 Account 🛛 🕨	ssh2-1.3.1.tgz Cho	ose File		/root/		
License				Cancel Upload		143
		a de la calendaria de la c	n de la construcción de la constru			
* *	Servers find	All 🗸	domain lookup			Rows Auto 🗸 🕥
Pawered by ezeeloein.com	<u>Name</u> ↓	IP Address	Server Group	SSH Port	Description	Actions
	production.server	192.168.1.11	Linux Servers	22		
						1-1/1

The above error occurs when the remote SSH user has no privilege to write on the specified remote path.

2. Error: SSH authentication failed



2.A The above error occurs when the gateway server is not able to connect to the remote server with the remote username specified while adding the server.

2.B The servers added with the key will show the above error (only in specific PHP versions).

3. {"status":"error","data":"Remote file does not exist"}

{"status":"error","data":"Remote file does not exist"}

When attempting to download a file, if the remote file path provided is incorrect, the above mentioned error occurs. Make sure the remote path given is correct.

4. Error: An error occurred while trying to send data: error (Forbidden)

Ezeelogin						[Welcome, Administrator Lo	gout
:≣ Servers ▼					<u>,</u> *			+
 Server Groups 	En	ror: An error occurred while	trying to send data: error (Forbidde	en)			X	
 Super Groups 	File	Unload: debian server						0
Sub SSH Users		opioad. debian.server						-12
Sub SSH User Maps	File			Rer	note Path			
► mExec lists	SS	h.log Choose File		/ro	ot/			
▶ Import					ancol Unload			
 Global Key 	1			C.	opioad			T
▶ Key Management	Ser	vers find	All 🗸 do	main lookup 💿 🔲			Rows Auto 🗸 🕥	8
🔚 Web Portals 🛛 🕨	0	Name V	IP Address	Server Group	SSH Port	Description	Actions	e
tt Users ►		+ centos.server	192.168.1.36	production server	22		/ 🖬 🖬 🕄	0
		+ debian.server	192.168.180.76	production server	22		/ 🖪 😡 🞯	- 1
Access Control		+ ubuntu.server	192.168.221.222	production server	22		/ 🖬 🖬 🞯	*
🗞 Settings 🕞 🕨	14						1-3/3	

To resolve the above error, increase the values for **max_execution_time, memory_limit, post_max_size,** and **upload_max_filesize** in the php.ini file. Refer to the steps below.

How to find PHP memory limit, max execution time, post max size, and upload max file size?

```
root@gateway :~# grep -v '^s*#' /etc/php/8.2/apache2/php.ini | grep -i
'max_execution_timelpost_max_sizelupload_max_filesizelmemory_limit!max_input_time'
max_input_time = 600
max_execution_time = 300
memory_limit = 1G
post_max_size = 1G
upload_max_filesize = 1G
root@gateway :~# grep -v '^s*#' /etc/php/8.2/cli/php.ini | grep -i
'max_execution_timelpost_max_sizelupload_max_filesizelmemory_limit!max_input_time'
max_input_time = 600
max_execution_time = 300
memory_limit = 1G
post_max_size = 1G
upload_max_filesize = 1G
```

How to view detailed logs of file uploads done by the gateway users?

Login to Ezeelogin GUI and navigate to Users -> Web Activity. Select Gateway user from User and Servers from Section.

1. In the below example, **ezadmin** user uploaded the file **ssh2-1.3.1.tgz** to the remote path **/root/ssh2-1.3.1.tgz** of the server **production.server**.

Ezeelogin							Welcome, Administrator Logou
≣ Servers ►	-					A shear had a second	
		Search					•
🖬 Web Portals 🛛 🕨	x	User			Section		
±t Users ▼		ezadmin 🛊 🖣			Servers	÷ 🚽	-
 User Groups 		From			То		
 Authentication Log 		2022-10-06 06:02			2022-10-08 06:02	10	
SSH Log		Rows Per Page			Note: Logs are local to	the node. Search the other node as well if clus	ster is configured.
RDP Recording		40			Export Reset	Find	ů.
► SCP Log	6.8	•					
 Web Proxy Log 	20	and a second second second		and the second	and a second	and the second second second	and a state of the second second
Web Proxy Activity		Web Activity Logs Clear a	all				
Web Activity		Username	Section	Function	Target	Time	Actions
 Shell Activity 		- ezadmin	servers	sftp_upload		2022-10-07 06:02:38	8
 Server Activity 	×	File upload: production.server	(1, root) -> /root/ssh2-1.3.1.tgz (applica	tion/x-compressed, 33838):	Success		
Work Summary				. , ,			1-1/1
Status							1-1/1

2. In the below example, alex user tried to upload a file to the remote path which has no access. Error message "**Remote file open failed**".

Ezeelogin							Welcome, Administrator Logo	DI
t≣ Servers ►		Search	N					
🖬 Web Portals	×	User			Section			
1. Users 🗸		alex 🗘	<	-	Servers	÷ 🚽	-	
 User Groups 		From			То			
 Authentication Log 		2022-10-06 06:22 10			2022-10-08 06:22	10		
► SSH Log		Rows Per Page			Note: Logs are local to	the node. Search the other node as well if clu	ster is configured.	
RDP Recording		10			Export Reset	Find		
► SCP Log		io 👻						
Web Proxy Log		Second and starts . 1		an an all an all and		And stands and shake	an we want to see the	
Web Proxy Activity		Web Activity Logs Clear	all				0	
Web Activity		Username	Section	Function	Target	Time	Actions	
 Shell Activity 		- alex	servers	sftp_upload		2022-10-07 06:17:50	8	
 Server Activity 		File upload: production.server	(1, john) -> /root/ssh2-1.3.1.tgz (app	lication/x-compressed, 33838): F	Remote file open failed			
Work Summary							1-4/4	
▶ Status	3.4						1-4/4	

If the Ezeelogin version is between 7.29.7 to 7.29.11, follow the below steps.

Some PHP versions have issues when using key-based authentication. Change key-based authentication to password-based to fix the error "**Error: SSH authentication failed**".

In order for key-based authentication to work, make sure to install libssh version 1.10.0. Refer below article to compile and install libssh version 1.10.0.

How to compile and install libssh (1.10.0) and php-ssh2 (1.3.1)?

1. Install ssh2 PHP module using the below command (replace PHP version).

root@gateway :~# apt update ; apt upgrade

root@gateway :~# apt install php7.4-ssh2 -y

Make sure php-ssh2 version is greater than or equal to 1.3.1. Run below command to check php-ssh2 and libssh versions.

root@gateway :~# dpkg -l | grep ssh

root@gateway :~# php -i | grep -i ssh

2. Add php-ssh2 extension in php.ini (replace PHP version).

root@gateway :~# echo "extension=ssh2.so" >> /etc/php/7.4/cli/php.ini

root@gateway :~# echo "extension=ssh2.so" >> /etc/php/7.4/apache2/php.ini

3. Restart the apache webserver and access Ezeelogin GUI.

root@gateway :~# systemctl restart apache2

Related Articles:

How to copy a file to a remote server or group of servers behind the ssh jumphost? Parallel Copy - How to do it?

How to copy files from desktop to Gateway servers using WinSCP

Increase script execution time in Ubuntu and CentOS

Online URL: https://www.ezeelogin.com/kb/article/transfer-file-from-desktop-machine-to-remote-server-538.html