

# Configure SMTP on Ezeelogin Jump server

542 Manu Chacko October 18, 2022 [Tweaks & Configuration](#) 1503

## How to configure SMTP relay with Sendmail?

### Install Sendmail

Ubuntu / Debian systems

```
apt install sendmail
```

Centos/RHEL

```
yum install sendmail
```

### 1. Create Authentication file.

Create a directory in /etc/mail directory

```
sudo mkdir /etc/mail/authinfo  
sudo chmod 700 /etc/mail/authinfo
```

2. Create an authentication file and add the following. Replace the following email with your mail credentials.

```
sudo vi /etc/mail/authinfo/smtp-auth
```

```
AuthInfo: "U:root" "I:test@gmail.com" "P:PASSWORD"
```

Create a hash map file of the above authentication file as follows

```
makemap hash /etc/mail/authinfo/smtp-auth < /etc/mail/authinfo/smtp-auth
```

### 3. Configure Sendmail

Add the following parameters into your sendmail.mc configuration file below the "MAILER\_DEFINITIONS" definition.

```
AuthInfo: "U:root" "I:test@gmail.com" "P:PASSWORD"  
AuthInfo: "U:root" "I:test@gmail.com" "P:PASSWORD"
```

Save and re-build sendmail configuration

```
make -C /etc/mail
```

#### 4. Restart the mail server

```
Service restart sendmail
```

Now send a test email

```
echo 'e-Mail TEST SMTP RELAY' | mail -s TESTMAIL test@ez.org
```

Online URL: <https://www.ezeelogin.com/kb/article/configure-smtp-on-ezeelogin-jump-server-542.html>