

How to redirect Apache root directory to virtualhost directory?

608 admin March 28, 2025 [Getting Started](#) 2539

Redirecting Apache to a VirtualHost Using .htaccess

Overview: This article explains how to redirect Apache's default document root to a virtual host directory using .htaccess on Ubuntu 18, 20, and 22 by enabling necessary modules, modifying AllowOverride, and restarting Apache.

The objective of the article is to redirect from default document root (/var/www/html/) to another virtualhost directory using **.htaccess in Ubuntu 18, Ubuntu 20, Ubuntu 22.**

Step 1: Enable the rewrite and alias module in Ubuntu.

```
root@ubuntu ~]# a2enmod rewrite alias

root@ubuntu ~]# systemctl restart apache2
```

Step 2: Adjust the Apache configuration files to allow the use of .htaccess files. By default, the 'AllowOverride' directive is set to 'None' for the /var/www/ directory in Apache configuration files. You need to change it to 'All'.

```
root@ubuntu ~]#sudo nano /etc/apache2/apache2.conf
```

Inside the file, locate the <Directory /var/www/> section.

```
<Directory /var/www/>
Options Indexes FollowSymLinks
AllowOverride All
Require all granted
</Directory>
```

Step 3: Create a new .htaccess file inside /var/www/html directory if it doesn't exist and add the following parameters.

```
root@ubuntu ~]#cd /var/www/html/
root@ubuntu ~]#sudo vi .htaccess
```

```
RewriteEngine On
```

```
RewriteRule ^$ /ezlogin/
```


Step 4: Restart Apache webservice

```
root@ubuntu ~]#sudo service apache2 restart
```

Before .htaccess redirection, Apache default page is displayed as shown below.



After implementing .htaccess redirection, IP is redirected to virtualhost where Ezeelogin is installed.



Related Articles:

[Disable apache default page and replace with an error page.](#)

[Redirect IP to Domain Name in Linux](#)

[List Apache Modules in Linux](#)

Online URL:

<https://www.ezeelogin.com/kb/article/how-to-redirect-apache-root-directory-to-virtualhost-directory-608.html>