


Enable remote startup script

648 Rakhi April 16, 2025 [Features & Functionalities](#) 1336

How to enable remote startup script in Ezeelogin?


Overview: This article helps to enable remote startup script that allows users to define scripts and incorporate custom shells, commands, or functions that can be run on all remote machines.

This is a feature that allows users to define scripts and incorporate custom shells, commands, or functions that can be run on all remote machines. You have the flexibility to generate numerous commands, enabling them to execute on all remote machines as part of a startup script. **(It is a startup script to be sourced on all remote servers: Max size 8kb)**



This feature is available from [Ezeelogin version 7.36.0](#).

Step 1: Navigate to **Settings -> General -> Miscellaneous**.



Step 2: Enter the bash script within the **Remote Startup** section -> **Save** it.

Ezegin Welcome, Administrator Logout

Servers

Web Portals

Users

Access Control

Settings

General

Branding

Control Panels

Data Centers

API

LDAP

SAML

RADIUS

Server Fields

Cluster

Command Guard

Account

Help

License

Collapse

Powered by ezeelogin.com

/usr/bin/nodejs

Login theme

White

Internal commands

☐

CP Use DNS

☐

Proxy Host

Proxy Username

Delete Sub SSH Remote User

☐

Notification From Name

Ezeelogin Notification

Credential History Duration

3

Login Page Notice

Remote Startup Script

alias tcpconn='netstat -ln |grep tcp'
alias applogs='cd /var/www/ezlogin/application/logs'

Use DNS

☐

License Timeout

30

Proxy Port

Proxy Password

Pass User Through

☐

Mexec Lists in Group Menu

☐

Notification From Email

noreply@ezeelogin.com

Message Of The Day

Cancel **Save**

Step 3: Verify the functionality of the alias by inspecting its operation when accessing a remote server through the gateway.

```

root@ubuntu22:~# tcpconn
tcp      0      0 0.0.0.0:22          0.0.0.0:*           LISTEN   721/sshd: /usr/sbin
tcp      0      0 127.0.0.53:53       0.0.0.0:*           LISTEN   623/systemd-resolve
tcp      0      0 127.0.0.1:3306      0.0.0.0:*           LISTEN   756/mariadb
tcp6     0      0 :::22              :::*                LISTEN   721/sshd: /usr/sbin
tcp6     0      0 :::80              :::*                LISTEN   762/apache2
tcp6     0      0 :::443             :::*                LISTEN   762/apache2
root@ubuntu22:~# applogs
root@ubuntu22:/var/www/ezlogin/application/logs# |

```

Related Articles:

[How to upgrade jump server to the latest version?](#)

Online URL: <https://www.ezeelogin.com/kb/article/enable-remote-startup-script-648.html>