

# Deleting entries from mysql database table webactivity\_logs

733 Jisna Joseph September 12, 2024 [Migration & Maintenance](#), [Productivity & Efficiency Features](#) 109

## Remove entries from the webactivity\_logs table in a MySQL database?

**Overview:** This article explains how to delete entries from Ezeelogin webactivity\_logs Table. It would be required to reduce the size of the webactivity\_logs table as it would cause the Ezeelogin software upgrade to slow down significantly ( 2-4 hours ) because of the huge size of the database table.

### 1. View webactivity logs

**Step 1(A):** To view the webactivity logs login to Ezeelogin GUI, navigate to **Users** -> [WebActivity](#) -> **Web Activity Logs**.

Username	Section	Function	Target	Time	Actions
admin	users	webactivity	1	2024-09-11 20:11:58	
admin	users	webactivity		2024-09-11 20:11:56	
admin	users	index		2024-09-11 20:11:55	
admin	account	theme		2024-09-11 20:11:53	
admin	account	theme		2024-09-11 20:11:48	
admin	account	index		2024-09-11 20:11:47	
admin	commands	index		2024-09-11 20:11:47	
admin	settings	index		2024-09-11 20:11:44	
admin	servers	webssh		2024-09-11 18:00:40	
admin	servers	start_webssh_node		2024-09-11 18:00:29	

### 2. Export webactivity logs

**Step 2(A):** Before truncating the webactivity\_logs you can export the logs from GUI for audit purposes under **Users** -> **Web Activity** -> **Export**

Generate a mysql dump of the Ezeelogin database or a table dump before you perform the operation in case you need to revert due to any unforeseen reasons. Run below command to take the database dump. Be sure to replace the database name with the actual name found in /usr/local/etc/ezlogin/ez.conf.

```
root@gateway:~# mysqldump ezlogin_wggmp > ezlogin_wggmp.sql
```

### 3. Truncate webactivity logs

**Step 3(A):** Run the below command to generate a backup of the webactivity logs table.

```
root@gateway:~# mysqldump -u root -p $(grep -oP 'db_names+KS+' /usr/local/etc/ezlogin/ez.conf) $(grep -oP 'db_prefixs+KS+' /usr/local/etc/ezlogin/ez.conf)webactivity_logs > $(grep -oP 'db_prefixs+KS+' /usr/local/etc/ezlogin/ez.conf)webactivity_logs_$(date +%Y-%m-%d).sql
```

**Step 3(B):** After taking backup, run below command to delete the entries in the table webactivity\_logs using the Ezeelogin query runner script.It would remove the entries before the date 2023-01-01 from the logs table

```
root@gateway:~# php /usr/local/ezlogin/ez_queryrunner.php "delete from prefix_webactivity_logs where created < '2023-01-01' "
```

**Step 4:** The webactivity\_logs table would look as follows:

```
mysql> use db_name;  
  
mysql> desc hnil_webactivity_logs;
```

### **Related Articles:**

[Deleting entries in the mysql database table serveractivity\\_logs](#)

[Deleting entries in the mysql database table gwactivity\\_logs](#)

[Truncate the ssh session logs recorded](#)

Online URL:

[https://www.ezeelogin.com/kb/article/deleting-entries-from-mysql-database-table-webactivity\\_logs-733.html](https://www.ezeelogin.com/kb/article/deleting-entries-from-mysql-database-table-webactivity_logs-733.html)