Unable to add server using putty private key key pair. How to convert PPK file OpenSSH format

74 admin July 2, 2024 Common Errors & Troubleshooting 9939

Issue with Adding Servers Using Putty Generated Private Key Pair (PPK)

Note: The putty key is currently not supported in Ezeelogin. You have to convert it to OpenSSH format.

Synopsis: This article describes how to convert Putty-generated private key pairs (.ppk) to OpenSSH format for compatibility with Ezeelogin and other systems.


To convert to OpenSSH format, you can use PuttyGen.

Step 1: Download and Install PuttyGen

- Visit http://www.chiark.greenend.org.uk/~sgtatham/putty/download.html and download PuttyGen.
- Install PuttyGen on your system.

Step 2: Open PuttyGen and Load Your .ppk File

- Launch PuTTYgen.
- Click on "Load" under Actions.
- Navigate to your .ppk file and select it.




? ×

File Key Conversions Help


| /mwSAv9c4vFeVDvIPF :DB+ev9LAFsN0J9iN36 | PJjATizfcO77dzUQg1mPc 6cAWM5feaxMcYRA9G | obSA559mWYpQ CHLipaA0eY5m |
|---|---|--|
| | | |
| ssn1sd 2046 05.63.d3.3c.0d.d7.ee.c6.3d.57.3d.e5.04.65.56.14 | | |
| rsa-key-20180809 | | |
| | | |
| | | |
| | | |
| Generate a public/private key pair | | Generate |
| e key file | | Load |
| еу | Save public key | Save private key |
| | | |
| _ | SA | O SSH-1 (RSA) |
| DSA CECD | 5A (ED25515 | O SSH-1 (NSA |
| | /mwSAv9c4vFeVDvIPF kDB+ev9LAFsN0J9iN36 FgqpqvudEn9leV6KMf0 ssh-rsa 2048 d9:63:a3 rsa-key-20180809 vate key pair te key file ey | rate key pair te key file ey Save public key te: |

• Click "Open" to load the file.



Step 3:Export the Key in OpenSSH Format.

- Once the key is loaded in PuTTYgen.
- Go to Conversions in the top menu.
- Choose Export > OpenSSH Key.




Step 4: Confirm Export Without Passphrase

• PuTTYgen may warn you about saving the key without a passphrase. Click "Yes" to proceed.




File Key Conversions Help



Step 5: Name and Save the Key

- Name the file as desired and add the .pem extension (e.g., mykey.em).
- Choose the location where you want to save the file.



Step 6: Convert Using Command Line (Unix/Linux)

- If you prefer using the command line on Unix/Linux:
 - Install PuTTY tools if not already installed:
 - RPM-based (CentOS):

Convert the .ppk file to .pem format using puttygen.

:~# sudo puttygen ppkkey.ppk -O private-openssh -o pemkey.pem

Related Articles:

Connection was closed by the remote host in Putty.

Connect Jumpserver using putty.

Prevent the putty window from closing during ssh.

Online URL:

https://www.ezeelogin.com/kb/article/unable-to-add-server-using-putty-private-key-key-pair-how-to-convert-ppk-file-openssh-format-74.html