


Configure MySQL with a custom port on Jump Server

8 admin June 14, 2024 [Tweaks & Configuration](#) 5559

What setting needs to be changed in the Ezeelogin jump server configuration file if MySQL is listening on a different port?

Synopsis: The following article will describe how you modify the Ezeelogin jump server configuration to accommodate [MySQL](#) running on a custom port. It outlines the specific settings that need adjustment to ensure seamless [database](#) connectivity.

Step 1: Edit the **ez.conf** file ("**/usr/local/etc/ezlogin/ez.conf**"), change the variable **db_port**, and set the [port](#) number.



```
root@ip02:~          /usr/local/etc/ezlogin/ez.conf *
GNU nano 6.2
cover 2
system_folder /var/www/ezlogin/
www_folder /var/www/html/ezlogin/
uri_path /ezlogin/
force_https no
db_host 192.168.166.12 ←
db_port 33356 ←
db_name ezlogin_nts
db_user ezlogin_duzwas
db_pass GRV1Xq+7I/Fzm+AYZPEa2An5UPREegby3CGQZG/UlibQLh58bcdzrDnk50gam0Q5TsI+4YDErHTS4DEtCm5YxBbFKQRAO50n1Vs0L0IdI=
db_prefix emsz
cookie_encryption_key IIpj6418e6Xzv939pxiXgHmVhWlXu/8AdKu3Iu1XiL5Ni1q9uluB/XSHcz4A9UYL17PPHBpYYbxNowpu0n6H1Nhyhb6av5Vd2xjDjsymEJg=
cookie_name cyyq
cookie_path /ezlogin/
admin_user admin
mysql_encrypt no
```

Also, if needed you may make changes to the **db_host** value from localhost to the IP address.

Related Articles:

[Error log file to troubleshoot](#)

[How to get detailed logs](#)

[Set Custom port in Ezeelogin Gateway](#)

[Custom server fields for Ezeelogin users via database](#)

Online URL:

<https://www.ezeelogin.com/kb/article/configure-mysql-with-a-custom-port-on-jump-server-8.html>