## How do i change the authentication from Idap to internal in the database?

87 admin June 15, 2023 <u>Tweaks & Configuration</u> 4780

I am no longer able to login after i switched to Idap authentication. How do i switch back to normal authentication?

The admin user that was created at the time of installation would still be able to login and switch to normal authentication.

however, if you still want to disable this from the database

## For Ezeelogin Version 7 and above

Run the following commands to switch the webpanel authentication to internal authentication

```
root@jumpserver@~# /usr/local/ezlogin/ez_queryrunner.php "update
prefix_settings set value='internal' where name='web_auth';"
```

## For Ezeelogin Version 6 and below

Connect to the ezeelogin database. The database name and table name can be found from /usr/local/etc/ezlogin/ez.conf

1. Find database name and database prefix from /usr/local/etc/ezlogin/ez.conf in ezeelogin gateway server.

```
root@jumpserver:~# cat /usr/local/etc/ezlogin/ez.conf
system_folder /var/www/ezlogin/
force_https yes
uri_path /
db_host localhost
db_port /var/run/mysqld/mysqld.sock
```

```
db_name ezlogin_por

db_user ezlogin_cxy

db_pass ymhbtPaY)VzD2g]84

db_prefix casmbn_

cookie_encryption_key D8$Frp5fF_FF

cookie_name rlbup

cookie_path /

www_folder /var/www/html/ezlogin/

admin_user ezadmin

mysql_encrypt no
```

2. **Connect to the database** and select the settings table..

