


Clear two factor authentication


36 admin June 19, 2024 [Two Factor Authentication \(2FA \)](#) 10642

How to reset Google authenticator, DUO, Yubikey, Access keyword, Radius and FIDO2 two factor authentication (2FA) secrets for the gateway user?


Synopsis: This article will help Ezeelogin admin users to reset Google authenticator, DUO, Yubikey, Access keyword, Radius and FIDO2 two-factor authentication (2FA) secrets for the gateway user when the user is locked out or has forgotten their 2FA.



Prompt for 2FA when a user tries to log in to the GUI:




If the gateway user have admin privileges, they can click on the **reset password** icon, enable "**Clear Two-Factor Authentication Secret,**" and then **save** the changes.



The gateway user can now log in without being asked for 2FA if 2FA is not enforced; otherwise, the user would be prompted to set up 2FA again.

How to reset Google Authenticator code individually?

Individual users can log into the GUI, navigate to **Account** -> **Google Authenticator** -> **Reset** to reset the Google Authenticator code.



Note: Emergency CLI Method

For Ezeelogin Version 7 and above:

1. To disable two-factor authentication (2FA) for the **admin user**, run the following commands.

```
root@jumpserver:~# php /usr/local/ezlogin/ez_queryrunner.php "update prefix_settings SET value = 0 WHERE name = 'two_factor_auth'"
```

```
root@jumpserver:~# php /usr/local/ezlogin/ez_queryrunner.php "update prefix_users set egs=NULLL,eak=NULLL,eyk=NULLL,set_duo=0 where id=1"
```

2. To disable two factor authentication (2FA) for **all users**, run the following command.

```
root@jumpserver:~# php /usr/local/ezlogin/ez_queryrunner.php "update prefix_users set egs=NULLL,eak=NULLL,eyk=NULLL,set_duo=0"
```

Abbreviations:

eak = Access Keyword
eyk = Yubikey
egs = Google Authenticator
set_duo = DUO 2FA

Note: Emergency CLI Method

For Ezeelogin Version 6 and below:

Note:

User need to provide the correct db_name and dbprefix from ez.conf to run the MySQL commands manually.

1. Find database name and database prefix from /usr/local/etc/ezlogin/ez.conf from Ezeelogin gateway server.

```
root@jumpserver:~# cat /usr/local/etc/ezlogin/ez.conf | grep -i "db_name|db_user|db_pass|db_prefix"
```

```
db_name ezlogin_por
```

```
db_user ezlogin_cxy
```

```
db_pass ymhbtPaY)VzD2g]84
```

```
db_prefix casmbn_
```

2. Log in to MySQL command prompt

Note:

Replace the "db_user", "db_name" and "db_pass" with values in /usr/local/etc/ezlogin/ez.conf from the Ezeelogin jump server.

```
root@jumpserver:~# mysql -u db_user -p db_name
```

3. Run the following command to **clear the two-factor authentication (2FA) for the admin user.**

Note:

Replace "dbprefix_" with the value of dbprefix_ from /usr/local/etc/ezlogin/ez.conf from the Ezeelogin jump server.

Example: "dbprefix_settings" is to be replaced with "casmbn_settings".

```
mysql> UPDATE dbprefix_settings SET value = 0 WHERE name =  
'two_factor_auth' ;
```

```
mysql> UPDATE dbprefix_users SET egs=NULL,eak=NULL,eyk=NULL,set_duo=0  
where id=1;
```

4. Run the following command to **clear the two-factor authentication (2FA) for all users.**

```
mysql> UPDATE dbprefix_users SET  
egs=NULL,eak=NULL,eyk=NULL,set_duo=0;
```

Related Articles:

Enable/Disable 2FA [Two Factor Authentication] on Ezeelogin

How to enforce 2 Factor Authentication on user login?

How to disable 2FA from Ezeelogin GUI?

Disable two factor authentication from backend

Online URL: <https://www.ezeelogin.com/kb/article/clear-two-factor-authentication-36.html>